

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT  
Prince Georges County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification R= C=
AdA	ADELPHIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
AdB2	ADELPHIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
AdC2	ADELPHIA FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
AhA	ADELPHIA SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
AhB2	ADELPHIA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
AuB2	AURA GRAVELLY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	highly erodible
AuC2	AURA GRAVELLY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	highly erodible
AuC3	AURA GRAVELLY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	highly erodible
AuD	AURA GRAVELLY LOAM, 12 TO 20 PERCENT SLOPES	highly erodible
AvE	AURA AND CROOM GRAVELLY LOAMS, 20 TO 50 PERCENT SLOPES	highly erodible
BeA	BELTSVILLE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
BeB2	BELTSVILLE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	highly erodible
BeC2	BELTSVILLE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
BlA	BELTSVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
BlB2	BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	highly erodible
BlC2	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
BlC3	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible
BlD3	BELTSVILLE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible
BmB	BELTSVILLE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	potentially highly erodible
BmC	BELTSVILLE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	potentially highly erodible
Bn	BIBB SANDY LOAM	not highly erodible
Bo	BIBB SILT LOAM	not highly erodible
Br	BIBB-URBAN LAND COMPLEX	not highly erodible
BtB2	BUTLERTOWN SILT LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
CaB2	CHILLUM SILT LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
CaC2	CHILLUM SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CaC3	CHILLUM SILT LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	highly erodible
CaD2	CHILLUM SILT LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CbB	CHILLUM-URBAN LAND COMPLEX, 0 TO 6 PERCENT SLOPES	potentially highly erodible
CbC	CHILLUM-URBAN LAND COMPLEX, 6 TO 12 PERCENT SLOPES	potentially highly erodible
CbE	CHILLUM-URBAN LAND COMPLEX, 12 TO 35 PERCENT SLOPES	potentially highly erodible
CcC3	CHRISTIANA CLAY, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible
CcD3	CHRISTIANA CLAY, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible
CcE3	CHRISTIANA CLAY, 15 TO 35 PERCENT SLOPES, SEVERELY ERODED	highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued  
Prince Georges County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification R= C=
CdA	CHRISTIANA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
CdB2	CHRISTIANA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CdC2	CHRISTIANA FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CdD2	CHRISTIANA FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CeA	CHRISTIANA SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
CeB2	CHRISTIANA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CeC2	CHRISTIANA SILT LOAM 5 TO 10 PERCENT SLOPES MODERATELY ERODED	highly erodible
CeD2	CHRISTIANA SILT LOAM, 10 TO 25 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CfB	CHRISTIANA-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	potentially highly erodible
CfC	CHRISTIANA-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	potentially highly erodible
CfE	CHRISTIANA-URBAN LAND COMPLEX, 15 TO 40 PERCENT SLOPES	highly erodible
Cg	CLAY PITS	potentially highly erodible
Ch	CODORUS SILT LOAM	not highly erodible
Ck	CODORUS-URBAN LAND COMPLEX	potentially highly erodible
Cl	COLEMANTOWN LOAM	not highly erodible
CmA	COLLINGTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
CmB2	COLLINGTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible
CmC2	COLLINGTON FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CmC3	COLLINGTON FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible
CmD2	COLLINGTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CmD3	COLLINGTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible
CmE2	COLLINGTON FINE SANDY LOAM, 15 TO 40 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CmE3	COLLINGTON FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES, SEVERELY ERODED	highly erodible
CnB2	COLLINGTON LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible
CnC2	COLLINGTON LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CnD2	COLLINGTON LOAMY FINE SAND, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CoA	COLLINGTON SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
CoB2	COLLINGTON SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible
CoC3	COLLINGTON SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible
CpB	COLLINGTON-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	not highly erodible
CpC	COLLINGTON-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	potentially highly erodible
Cr	COMUS SILT LOAM	not highly erodible
CsB2	CROOM GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES MODERATELY ERODED	highly erodible
CsC2	CROOM GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued  
Prince Georges County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification R= C=
CsC3	CROOM GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible
CtB2	CROOM GRAVELLY SANDY LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CtC2	CROOM GRAVELLY SANDY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CtC3	CROOM GRAVELLY SANDY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible
CtD2	CROOM GRAVELLY SANDY LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	highly erodible
CuB	CROOM-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	potentially highly erodible
CuC	CROOM-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	potentially highly erodible
CuE	CROOM-URBAN LAND COMPLEX, 15 TO 35 PERCENT SLOPES	highly erodible
DoA	DONLONTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
DoB2	DONLONTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	highly erodible
Ek	ELKTON SILT LOAM	not highly erodible
ElB	ELKTON FINE SANDY LOAM, THICK SURFACE, 0 TO 5 PERCENT SLOPES	potentially highly erodible
EmA	ELSINBORO LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
EmB2	ELSINBORO LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	potentially highly erodible
EnA	ELSINBORO SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
EnB2	ELSINBORO SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
EnC2	ELSINBORO SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
EuB	ELSINBORO-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	potentially highly erodible
F1	FALLSINGTON LOAM	not highly erodible
Fs	FALLSINGTON SANDY LOAM	not highly erodible
Fu	FALLSINGTON-URBAN LAND COMPLEX	not highly erodible
GaB	GALESTOWN GRAVELLY LOAMY SAND, 0 TO 8 PERCENT SLOPES	potentially highly erodible
GaC	GALESTOWN GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES	highly erodible
GdB	GALESTOWN LOAMY SAND, 0 TO 8 PERCENT SLOPES	not highly erodible
GdC	GALESTOWN LOAMY SAND, 8 TO 15 PERCENT SLOPES	highly erodible
GeB	GALESTOWN-EVESBORO LOAMY SANDS, 0 TO 8 PERCENT SLOPES	potentially highly erodible
GeC	GALESTOWN-EVESBORO LOAMY SANDS, 8 TO 15 PERCENT SLOPES	highly erodible
GmB	GALESTOWN-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	potentially highly erodible
GmC	GALESTOWN-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	potentially highly erodible
GnC2	GLENELG LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
GoB	GLENELG-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	potentially highly erodible
Gp	GRAVEL AND BORROW PITS	not highly erodible
Ha	HATBORO SILT LOAM	not highly erodible
HcC3	HOWELL CLAY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	highly erodible
HcD3	HOWELL CLAY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	highly erodible
HoB2	HOWELL FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued  
Prince Georges County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification R= C=
HoC2	HOWELL FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERAT ELY ERODED	highly erodible
HwB2	HOWELL SILT LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERO DED	potentially highly erodible
HwC2	HOWELL SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ER ODED	highly erodible
HwD2	HOWELL SILT LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY E RODED	highly erodible
HwE2	HOWELL SILT LOAM, 20 TO 35 PERCENT SLOPES, MODERATELY E RODED	highly erodible
Hy	HYDE SILT LOAM	not highly erodible
Ik	IUKA FINE SANDY LOAM	not highly erodible
ImA	IUKA SANDY LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	not highly erodible
ImB	IUKA SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES	not highly erodible
In	IUKA SILT LOAM	not highly erodible
IoA	IUKA SILT LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	not highly erodible
IoB	IUKA SILT LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT	highly erodible
Iu	IUKA-URBAN LAND COMPLEX	potentially highly erodible
Ix	IUKA-URBAN LAND COMPLEX, LOCAL ALLUVIUM	potentially highly erodible
Jo	JOHNSTON SILT LOAM	not highly erodible
Ju	JOHNSTON-URBAN LAND COMPLEX	not highly erodible
KeA	KEYPORT FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
KeB2	KEYPORT FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERAT ELY ERODED	highly erodible
KeC2	KEYPORT FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERA TELY ERODED	highly erodible
KpA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
KpB2	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERO DED	highly erodible
KpC2	KEYPORT SILT LOAM, 5 TO 15 PERCENT SLOPES, MODERATELY E RODED	highly erodible
KrC3	KEYPORT SILTY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERE LY ERODED	highly erodible
KuB	KEYPORT-URBAN LAND COMPLEX, 0 TO 10 PERCENT SLOPES	potentially highly erodible
Ky	KLEJ LOAMY SAND	not highly erodible
LeA	LEONARDTOWN SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
LeB	LEONARDTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES	highly erodible
Ma	MADE LAND	not highly erodible
MfB2	MAGNOLIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES MODERAT ELY ERODED	potentially highly erodible
MgB2	MAGNOLIA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY E RODED	potentially highly erodible
MgC2	MAGNOLIA SILT LOAM, 5 TO 10 PERCENT SLOPES MODERATELY E RODED	highly erodible
MhB2	MANOR LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	highly erodible
MhC2	MANOR LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
MhD2	MANOR LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	highly erodible
MhF2	MANOR LOAM, 25 TO 60 PERCENT SLOPES, MODERATELY ERODED	highly erodible
MkC	MANOR-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	potentially highly erodible
MlA	MARR FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued  
Prince Georges County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification R= C=
M1B2	MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	highly erodible
M1B3	MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED	highly erodible
M1C2	MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	highly erodible
M1C3	MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	highly erodible
M1D3	MARR FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	highly erodible
M1E	MARR FINE SANDY LOAM, 20 TO 35 PERCENT SLOPES	highly erodible
MmA	MATAPEAKE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
MmB2	MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
MnA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
MnB2	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
MnC2	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
MnC3	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible
MnD2	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
MoB2	MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
MpB	MATAPEAKE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	potentially highly erodible
MpC	MATAPEAKE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	potentially highly erodible
MrA	MATAWAN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
MrB2	MATAWAN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
MrC2	MATAWAN FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
MsA	MATAWAN LOAMY SAND, 0 TO 2 PERCENT SLOPES	not highly erodible
MsB	MATAWAN LOAMY SAND, 2 TO 5 PERCENT SLOPES	potentially highly erodible
MtA	MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
MtB2	MATTAPEX FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
MuA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
MuB2	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
MvB	MATTAPEX-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	potentially highly erodible
Mw	MIXED ALLUVIAL LAND	not highly erodible
MxC3	MONMOUTH CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible
MxD3	MONMOUTH CLAY LOAM, 10 TO 30 PERCENT SLOPES, SEVERELY ERODED	highly erodible
MyA	MONMOUTH FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
MyB2	MONMOUTH FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	highly erodible
MyC2	MONMOUTH FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES MODERATELY ERODED	highly erodible
MyD2	MONMOUTH FINE SANDY LOAM, 10 TO 15 PERCENT MODERATELY ERODED	highly erodible
MzB2	MUIRKIRK LOAMY SAND, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued  
Prince Georges County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification R= C=
MzC2	MUIRKIRK LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
OcA	OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	not highly erodible
OcB	OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES	not highly erodible
OcC	OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 5 TO 10 PERCENT SLOPES	not highly erodible
OhA	OCHLOCKONEE SILT LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	not highly erodible
OhB	OCHLOCKONEE SILT LOAM, LOCAL ALLUVIUM 2 TO 5 PERCENT SLOPES	not highly erodible
Ok	OCHLOCKONEE, LOCAL ALLUVIUM-URBAN LAND COMPLEX	not highly erodible
Ol	OTHELLO FINE SANDY LOAM	not highly erodible
Ot	OTHELLO SILT LOAM	not highly erodible
Pr	PLUMMER AND RUTLEGE LOAMY SANDS	not highly erodible
RdA	RUMFORD LOAMY SAND, 0 TO 2 PERCENT SLOPES	not highly erodible
RdB2	RUMFORD LOAMY SAND, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible
RdC2	RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
RdC3	RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible
RdD2	RUMFORD LOAMY SAND, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
ReB	RUMFORD-EVESBORO LOAMY SANDS, 2 TO 6 PERCENT SLOPES	potentially highly erodible
ReC	RUMFORD-EVESBORO LOAMY SANDS, 6 TO 12 PERCENT SLOPES	highly erodible
ReD	RUMFORD-EVESBORO LOAMY SANDS, 12 TO 20 PERCENT SLOPES	highly erodible
SaE	SANDY LAND, STEEP	highly erodible
ScB	SANDY AND CLAYEY LAND, GENTLY SLOPING	potentially highly erodible
ScC	SANDY AND CLAYEY LAND, SLOPING	potentially highly erodible
ScD	SANDY AND CLAYEY LAND, MODERATELY STEEP	highly erodible
SfB2	SASSAFRAS GRAVELLY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible
SfC2	SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
SfD2	SASSAFRAS GRAVELLY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
SgB2	SASSAFRAS GRAVELLY SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	highly erodible
SgC2	SASSAFRAS GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
SgC3	SASSAFRAS GRAVELLY SANDY LOAM, 5 TO 10 PERCENT, SLOPES, MODERATELY ERODED	highly erodible
SgD2	SASSAFRAS GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
SgD3	SASSAFRAS GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible
SgE	SASSAFRAS GRAVELLY SANDY LOAM, 15 TO 30 PERCENT SLOPES	highly erodible
ShA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
ShB2	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible
ShC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued  
Prince Georges County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification R= C=
ShC3	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible
SkB	SASSAFRAS-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	not highly erodible
SkC	SASSAFRAS-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	potentially highly erodible
SkE	SASSAFRAS-URBAN LAND COMPLEX, 15 TO 30 PERCENT SLOPES	highly erodible
S1D	SASSAFRAS-COLLINGTON-AURA GRAVELLY SANDY LOAMS, 12 TO 20 PERCENT SLOPES	highly erodible
S1E	SASSAFRAS-COLLINGTON-AURA GRAVELLY SANDY LOAMS, 20 TO 35 PERCENT SLOPES	highly erodible
SmA	SHREWSBURY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
SmB	SHREWSBURY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible
SnA	SHREWSBURY SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
So	SHREWSBURY-URBAN LAND COMPLEX	not highly erodible
SpB	SILTY AND CLAYEY LAND, GENTLY SLOPING	potentially highly erodible
SpC	SILTY AND CLAYEY LAND, SLOPING	potentially highly erodible
SpE	SILTY AND CLAYEY LAND, STEEP	highly erodible
StB2	SUNNYSIDE FINE SANDY LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
StC2	SUNNYSIDE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
StD2	SUNNYSIDE FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
StE	SUNNYSIDE FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES	highly erodible
SuB2	SUNNYSIDE LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
SuC2	SUNNYSIDE LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
SuD2	SUNNYSIDE LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible
SvC3	SUNNYSIDE SANDY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible
SvD3	SUNNYSIDE SANDY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible
SwB	SUNNYSIDE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	potentially highly erodible
SwC	SUNNYSIDE-URBAN LAND COMPLEX, 5 TO 10 PERCENT SLOPES	potentially highly erodible
Sx	SWAMP	not highly erodible
Tm	TIDAL MARSH	not highly erodible
WaA	WESTPHALIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
WaB2	WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	highly erodible
WaB3	WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED	highly erodible
WaC2	WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	highly erodible
WaC3	WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	highly erodible
WaD2	WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED	highly erodible
WaD3	WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	highly erodible
WbB2	WESTPHALIA VERY FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
WbC2	WESTPHALIA VERY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued  
Prince Georges County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification R= C=
WbD2	WESTPHALIA VERY FINE SANDY LOAM, 12 TO 20 PERCENT SLOPE S, MODERATELY ERODED	highly erodible
WeB2	WESTPHALIA-EVESBORO COMPLEX, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	highly erodible
WeC2	WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	highly erodible
WeC3	WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	highly erodible
WeD3	WESTPHALIA-EVESBORO COMPLEX, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	highly erodible
WoA	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible
WoB2	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible
WoC2	WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible
Wu	WOODSTOWN-URBAN LAND COMPLEX	potentially highly erodible
ZZ900	PAVED AREAS	not highly erodible



